


# PRODUCT DATA SHEET

## MaxiChem® Cut™ 56-633

|                            |  |
|----------------------------|--|
| <b>Colour – Coating</b>    | Black                                  |
| <b>Colour – Liner</b>      | Neutral                                |
| <b>Design</b>              | Gauntlet - 30 cm                       |
| <b>Coating</b>             | NBR (Nitrile Butadiene Rubber)         |
| <b>Coating texture</b>     | Micro-Foam with Non-Slip Grip          |
| <b>Liner</b>               | UHMWPE-Glass-Nylon, Polyester, Spandex |
| <b>Palm thickness (mm)</b> | 1.40                                   |



### Dimensions

| Size Range                            | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|---------------------------------------|------------|------------|------------|--------------|---------------|
| <b>Total glove length (+/- 10 mm)</b> | 300        | 300        | 300        | 300          | 300           |
| <b>Wrist length (mm)</b>              |            |            | 1          |              |               |
| <b>Palm width (mm)</b>                | 102        | 108        | 112        | 116          | 117           |
| <b>Over lock colour</b>               | Red        | Orange     | White      | Yellow       | Black         |

### EN Test Results

| Test                                      | Notified body | Result/Pass    |
|---|---------------|----------------|
| <b>EN ISO 21420: 2020</b>                 | TÜV Rheinland | Yes            |
| <b>EN 388:2016 + A1:2018</b>              | TÜV Rheinland | 4342B          |
| <b>EN ISO 374-1:2016 + A1:2018/Type A</b> | TÜV Rheinland | ABCEFGIJKLMNOT |
| <b>EN ISO 374-5:2016</b>                  | TÜV Rheinland | Yes            |



# PRODUCT DATA SHEET

## MaxiChem® Cut™ 56-633

### Typical Performance Values

|  |  |
|--|--|
| EN ISO 21420 Dexterity                                     | Level 5  |
| EN 388:2016 + A1:2018 A. Abrasion Resistance               | > 8000 Cycles  |
| EN 388:2016 + A1:2018 B. Cut Resistance                    | > 5.0 index  |
| EN 388:2016 + A1:2018 C. Tear Resistance                   | > 75 newtons   |
| EN 388:2016 + A1:2018 D. Puncture Resistance               | > 60 newtons   |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO                | ≥ 5 Newton   |
| EN ISO 374-1:2016 + A1:2018 A - Methanol                   | 2 (>30 min)  |
| EN ISO 374-1:2016 + A1:2018 B - Aceton                     | 0 (<=10 min)   |
| EN ISO 374-1:2016 + A1:2018 C - Acetonitrile               | 1 (>10 min)  |
| EN ISO 374-1:2016 + A1:2018 E - Carbon disulphide          | 0 (<=10 min)   |
| EN ISO 374-1:2016 + A1:2018 F - Toluene                    | 0 (<=10 min)   |
| EN ISO 374-1:2016 + A1:2018 G - Diethylamine               | 0 (<=10 min)   |
| EN ISO 374-1:2016 + A1:2018 I - Ethylacetate               | 0 (<=10 min)   |
| EN ISO 374-1:2016 + A1:2018 J - n-Heptane                  | 6 (>480 min)   |
| EN ISO 374-1:2016 + A1:2018 K - Sodium hydroxide 40%       | 6 (>480 min)   |
| EN ISO 374-1:2016 + A1:2018 L - Sulphuric acid 96%         | 4 (>120 min)   |
| EN ISO 374-1:2016 + A1:2018 M - Nitric acid 65%            | 4 (>120 min)   |
| EN ISO 374-1:2016 + A1:2018 N - Acetic acid 99%            | 3 (>60 min)  |
| EN ISO 374-1:2016 + A1:2018 O - Ammonia 25%                | 5 (>240 min)   |
| EN ISO 374-1:2016 + A1:2018 T - Formaldehyde 37%           | 2 (>30 min)  |
| EN ISO 374-5:2016 Protective gloves against microorganisms | Protective gloves which form a protective barrier to microbiological agents. |

### HandCare®

|   |           |
|---|-----------|
| Skin Health Alliance Dermatologically Accredited        | Yes       |
| REACH compliant   | Yes       |
| Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI) | Certified |
| Sanitized®  | Yes       |



# PRODUCT DATA SHEET

## Special features

|                      |     |
|----------------------|-----|
| <b>Silicone free</b> | Yes |
| <b>FDA compliant</b> | Yes |

# PRODUCT DATA SHEET

## MaxiChem® Cut™ 56-633

### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 12              |
| Poly bags per carton   | 6               |
| Carton count           | 72              |
| Carton dimensions (mm) | 500 x 295 x 270 |

### Weight

| Size Range                       | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|----------------------------------|------------|------------|------------|--------------|---------------|
| Glove weight / pair (+/- 6 gram) | 122        | 126        | 130        | 136          | 140           |
| Gross weight (kg)                | 9.5        | 10.2       | 10.7       | 11           | 11.5          |
| Carton weight (kg)               | 1          | 1          | 1          | 1            | 1             |
| Net weight (kg)                  | 8.5        | 9.2        | 9.7        | 10.0         | 10.5          |

Issue date: 08/03/2019

